

Chronic Pain and the Family

A NEW GUIDE

Julie K. Silver, M.D.

HARVARD UNIVERSITY PRESS
Cambridge, Massachusetts
London, England
2004

Index

- Abdominal pain, 18
- Acute pain, 8, 9–11
- Addiction, 109–111
 - prevention of, 112–115
 - treatment of, 115–117
- Adolescents, 69–70
 - pain in, 80–82
- Alcohol, 38
- Alternative medicine practitioner, 121–122
- Americans with Disabilities Act, 52–53
- Amphetamines, 37
- Anger, 28–29, 41
- Antianxiety drugs, 38
- Anticholinergic drugs, 37
- Anticonvulsants, 37
- Antidepressants, 37, 38, 39
- Antihypertensives, 37
- Anti-inflammatory medications. *See*
 - Non-steroidal anti-inflammatory drugs (NSAIDs)
- Antiparkinsonian drugs, 37
- Antipsychotics, 37
- Anxiety
 - medications for, 38
 - symptoms of, 102
- Appetite, in children, 72
- Arthritis, 11, 14

- Back pain, 15
 - during pregnancy, 61–62
 - work-related, 47–48, 50–51
- Barbiturates, 37
- Behavior
 - in children, 71
 - pain, 4–5, 6–7

- Botulinum toxin injection, 128–129, 130
- Breastfeeding, 62
- Burney, Fanny, 4

- Capsaicin, 128
- Carpal tunnel syndrome, 143
- Childbearing, 40–41, 57–63
 - genetic factors and, 58–59
 - planning for, 59–61
- Children
 - adolescents, 69–70, 80–82
 - appetite changes in, 72
 - behavior change in, 71
 - chronic pain in, 75–85
 - adolescents, 80–82
 - causes of, 76–78
 - control and, 84–85
 - honest communication about, 84–85
 - parental pressures and, 77–78, 83
 - parental response to, 75–76, 82–84
 - school-age children, 79–80
 - treatment of, 136–137
 - very young children, 78–79
 - complementary and alternative medicine for, 144–145
 - depression in, 71
 - dishonest communication with, 66
 - effective communication with, 66–67, 68, 74
 - mood changes in, 70–71
 - parental pain effects on, 64–74
 - school-age, 68–69, 79–80
 - school performance by, 72–73
 - sleep problems in, 71
 - suicide risk in, 73–74
 - very young, 67–68, 78–79

- Chronic pain, 8, 11–14
 diagnosis of, 118–123
 disease-specific, 14–19
 family experience of, 2, 13–14 (*see also* Children; Marriage)
 language of, 4–7
 treatment of (*see* Pain treatment)
- Communication, parent-child, 66–67, 68, 74
- Complementary and alternative medicine, 139–147
 in children, 144–145
 in chronic pain, 143–144
 controversy over, 142
 family and, 146
 in older individuals, 145–146
 practitioners of, 146–147
- Congenital insensitivity to pain, 8
- Contraception, 60
- Controlled substances, 104–106. *See also* Opioid analgesics
- Corticosteroid injection, 128, 130
- Couples, 20–34. *See also* Marriage
- Culture, 5–6
- Depression, 95–101
 in adolescents, 81
 biological factors in, 96–97
 in children, 71
 family support in, 102–103
 psychological factors in, 97–99
 social factors in, 99
 symptoms of, 101
 treatment of, 99–102
- Disability, 52–54
 psychological effects of, 54–55
- Diuretics, 38
- Divorce, 31–32
- Drug abuse, 111–112
- Emotional problems, 27–30
 in children, 70–71
 in sexual relationships, 39–41
- Employment. *See* Work-related injury
- Endometriosis, 19
- Face pain, 15–16
- Family. *See also* Marriage
 extended, 86–94
 helpful reactions of, 90–91
 negative reactions of, 87–90
 patient expectations of, 91–94
 in pain diagnosis, 123
 pain experience of, 2, 13–14
 work-related injury and, 55–56
- Fear, 30
- Fecundity, 59
- Fertility, 59
- Fibromyalgia, 12, 17–18
- Fight or flight response, 9
- Financial status, changes in, 26–27
- Foot pain, 19
- Gender, 5
- Genetic factors, 58–59
- Geriatric patient
 complementary and alternative medicine in, 145–146
 pain treatment in, 137–138
- Gibson, Edward H., 8
- Grief, 28
- Growing pains, 80
- Guilt, 30
- Headache, 16–17
- Heredity, 58–59
- Histamine H-2 blockers, 37
- Holmes-Rahe Social Readjustment Scale, 22, 23–24
- Hospitalization, 9–10
- Infidelity, 30–32
- Kübler-Ross, Elisabeth, 28
- Labor, 62
- Lifestyle changes
 in pain treatment, 133
 pain-related, 12–14
- Litigation
 family stress with, 55–56
 in work-related injury, 49–52
- Magical thinking, 67
- Marriage, 20–34
 crises in, 30–32
 emotional problems in, 27–30
 financial status loss in, 26–27

- healing changes in, 32–34
- intimacy loss in, 25–26, 30–32. *See also*
 - Sexual relationship
- parenting changes in, 24–25
- relationship loss in, 21–25
- role changes in, 21–25, 31
- sexual relationship in, 35–44. *See also*
 - Sexual relationship
- stressful events in, 22, 23–24
- workload changes in, 24–25
- Medications
 - for pain treatment, 127–129
 - sexual dysfunction and, 36–38, 39
- Migraine headache, 17
- Motor vehicle accident, 46–47
- Muscle relaxants, 37
- Myofascial pain syndrome, 12, 18

- Narcotics. *See* Opioid analgesics
- Neck pain, 18
- Non-steroidal anti-inflammatory drugs (NSAIDs),
 - fetal effects of, 60–61
 - in treatment, 127–129

- Occupation. *See* Work-related injury
- Opioid analgesics, 38, 104–106
 - abuse of, 111–112
 - addiction to, 109–111, 112–115
 - physical dependence on, 107–109
 - prescription for, 114–115
 - tolerance to, 106–107
 - withdrawal from, 107
- Oral contraceptives, 60

- Pain. *See also* Chronic pain
 - classification of, 8–14
 - definition of, 1
 - historical perspective on, 2–4
 - insensitivity to, 8
- Pain behaviors, 4–5
 - elimination of, 6–7
- Pain clinic, 122–123, 135
- Pain treatment, 124–138. *See also* Complementary and alternative medicine
 - in children, 136–137
 - cold packs for, 131
 - equipment for, 132–133
 - exercise for, 129–131
 - goals of, 125–126
 - in hospital, 10
 - ice massage for, 131
 - injections for, 128–129, 130
 - lifestyle changes for, 133
 - manual therapy for, 132
 - medications for, 127–129
 - nonpharmacologic, 126
 - in older individuals, 137–138
 - pain clinics for, 135
 - psychological intervention for, 134
 - surgery for, 134–135
 - transcutaneous electrical nerve stimulation for, 131
- Parent(s)
 - changed behavior in, 24–25
 - children's communication with, 66–67, 68, 74
 - children's pain and, 75–76, 77–78, 82–84
 - pain in, children's response to, 64–74
- Parent-child communication, 66–67, 68, 74
- Peer pressure, in adolescents, 81–82
- Pelvic pain, 19
- Pregnancy, 61–63
 - planning for, 59–61
- Primary care doctor, 120–121

- Reproduction, 59–61

- School performance, 72–73
- Sciatica, 15
- Sexual abuse, 41
- Sexual relationship, 35–44
 - emotional problems and, 39–41
 - improvement in, 42–44
 - loss of, 25–26, 30–32
 - medication effects on, 36–38, 39
 - physical illness and, 42–44
 - physical problems and, 36–39
- Sleep problems, in children, 71
- Socioeconomic status, 5, 7, 26–27
- Specialist doctor, 120–121
- Spinal injection, 129, 130
- Stressful events, 22, 23–24
- Suffering, 12
- Suicide risk, in children, 73–74

- Surgery, pain after, 9–10
Surveillance, litigation and, 51
- Temporomandibular joint disorders,
15–16
TENS (transcutaneous electrical nerve
stimulation), 131
Tension-type headache, 16–17
Trepanning, 3
Trigeminal neuralgia, 16
Trigger-point injection, 128, 130
- Unemployment, 52–55. *See also* Work-
related injury
- Virtuous pain, 7–8
Vocational retraining, 53–54
- Well Spouse Foundation, 22
Work-related injury
 compensable vs. noncompensable,
 46–47
 disability and, 52–54
 family stress with, 55–56
 litigation on, 49–52
 psychological effects of, 54–55
 return to work after, 48–49, 52
 risk for, 47–48